

Pastel Paints



STONE
TEXTURE



Manufactured by Harfouche for Trading & Industry EST.
P.O. Box: 62 cornet Chehwan Lebanon
www.pastelpaints.com - pastel@pastelpaints.com



Stone Texture Serial 1700

A superior wall covering containing large stones, can be used as an exterior coating with excellent texture quality and pronounced aesthetics. Such a paint contains resins with texture additives to provide uniform texture appearance to other-wise rough and irregular surfaces. It has very good adherence to approximately all surfaces and has excellent flexibility, durability and weathering resistance.

The Stone Texture is a very good quality paint known to have a color that will not alter with age.

Its acrylate based copolymer emulsion modified with durable prime pigment, extender fillers and texture additives uniforms and beautifies rough or irregular surfaces in just one coat so that no extra top coat is needed. ECO friendly product.

Application method:

- Number of coats: two coats are required,
 - > First coat must be an anti-bacterial or waterproof primer (diluted with 50% water)
 - > Second coat without dilution.
- Thinner: 5% water (if needed).
- Coverage: 10m² per pail of 25kg.
- Aspect: Matt
- Application: By trowel
- Cleaning: With water.
- Packaging: In pail of 25kg.
- Drying time: Half an hour.
- Full hardness: 7 days

ستون

مادة للجدران تحتوي على حبيبات الكوارتز، يمكن استعمالها للجدران الخارجية مع نقشات بنوعية جمالية متميزة على أن هذه المادة مصنوعة من الاكريليك مما يعطيها مظهر موحد دون وصلات حتى على المساحات ذات الشوائب تتميز بقوة التصاق على كافة الأسطح مع مرونة ومقاومة للعوامل الطبيعية

ذات نوعية عالية الجودة والألوان لا تتغير مع الزمن تتكون هذه المادة من الاكريلات المعدلة مضافة إلى أصباغ طبيعية ومن زوائد تساعد على توحيد الأسطح وإزالة الشوائب من وجه وحيد نهائي دون الحاجة إلى وجه ثاني وهي صديقة للبيئة

طريقة الإستعمال :

- عدد الطبقات: ينصح بطبقتين
- الأولى يجب أن تكون أساس ضد البكتيريا (مرخى 50% ماء)
- الثاني من دون إضافة أي كمية من الماء
- ماء إذا دعت الحاجة 5%
- تغطية: 10 م² بالبرميل 25 كغ
- مظهر: مات ناشف
- طريقة الإستعمال: بالمالج
- التنظيف: بالماء
- التحليل: برميل 25 كغ
- وقت للنشاف: نصف ساعة
- صلاحية النهائية: 7 أيام



1760 CINAMON

★ For more colors please refer to the "MAPLEXINE" catalog

★ لمزيد من الألوان الرجاء مراجعة كتالوغ المبليكسين